

18. august 2015 00:02

JF Kalibrering

Bomstueveien 8
Kongsberg, 3612

Contact: Jørn Finnerud
Phone: 90143763
Email: afinner@online.no

Jørn Finnerud


Phone: 90143763
Email: jorn.finnerud@hl-media.no
Notes:

Stereo+ Magazine

Håvard Holmedal

Phone 1:
Email:

Phone 2:



METER Klein Instruments K Series

Manufacturer: Klein Instruments
Model: K-10
Meter Serial: 00100007

SOURCE AV Foundry VideoForge

Model: AV Foundry - VideoForge Classic (Ethernet @9021)
Info: VideoForge software

DISPLAY / PROCESSOR Direct Display Control

Model: None
Type:
Info1:

CALIBRATION STANDARD

Nominal Signal Levels: True
Luminance Response Model: PowerFunction
Gamma: 2,2
Color Space Target: D65, HD Rec.709

Pre Calibration Settings

PictureMode: film

ColorTemp: varm2

Gamma:

BackLight: 12

Brightness: 45

Color: 50

Sharpness: 20

Contrast: 90

Tint: 0

High

Red

Green

Blue

Low

Red

Green

Blue

Pre-Calibration Notes:

Post Calibration Settings

Picture Mode: Film

ColorTemp: varm2

Gamma: 0

BackLight: 6

Brightness: 47

Color: 50

Sharpness: 3

Contrast: 92

Tint: 0

High

Red

Green

Blue

11

13

8

Low

Red

Green

Blue

-5


-4

-5

Post-Calibration Notes:


Pre Calibration Results

CollectionMax dE2000: 4,12






Post Calibration Results

CollectionMax dE2000: 1,06



Pre Calibration Results



Post Calibration Results

